

Blast Report

C.O. Number:	Blast Time: <u>1:15</u>	Blast Date: <u>4-4-17</u>
Customer Name: <u>White Rock Quarry</u>	Address: <u>18300 NW 122nd AVE Hialeah, FL</u>	
Rock Type: <u>Marine Limestone Rock Specific Gravity 2.3 G/C.C.</u>	Expected Vibration:	
Location of Blast: <u>Section 8</u>	Blast GPS Points: <u>N 25 56 11.5 W 80 22 20</u>	
Weather: <u>P. Cloudy</u>	Temp: <u>86°</u>	Wind from and Speed: <u>SE 3mph</u>

Nearest Non-Owned Structure and Seismograph Location or Other Location

Name: <u>Water Treatment Plant</u>	Distance: <u>1646.5 feet</u>	Direction: <u>173°</u>
GPS Points: <u>N 25° 55' 27.42" W 80° 22' 19.80"</u>		

No. of Holes	Hole Diameter	Hole Depth	No. of Powder Deck	Sub Drilling	Avg. Stem Height	Burden	Spacing	Explosives Type	Pounds or Units
<u>71</u>	<u>4.5</u>	<u>84</u>	<u>71</u>	<u>N/A</u>	<u>16'</u>	<u>17'</u>	<u>18'</u>	<u>Riomax A</u>	<u>39405</u>
								<u>Boosters</u>	<u>142</u>
								<u>Orange Cap (205416)</u>	
									<u>39,547</u>

Name of Detonator and Manufacture: Maxam Daveytronics Other: _____
 Circle Choice: Non-electric Electric Electronic

Delay or Type	Length	No. Used	Date Code
<u>Electronic</u>	<u>15m</u>	<u>8</u>	<u>AP-16</u>
<u>Electronic</u>	<u>15m</u>	<u>63</u>	<u>MA-16</u>
<u>Electronic</u>	<u>30m</u>	<u>71</u>	<u>FE-16</u>

Delay or Type	Length	No. Used	Date Code
<u>Bus wire</u>	<u>530'</u>		

Cubic Yards in Shot: 67595 Avg Pounds/Hole: 557 Holes/Delay: 1

Max LBS/Delay: 557 Powder Factor: Pounds Per Cubic Yard: 0.581

Scaled Distance Factor: 197.850 Type of Blasting Machine: Twist Battery

Blaster Name: Kenny Wingard Blaster Signature: _____

Blaster Address: 4529 Springview Cir, Labelle, FL 33935 Blaster No: EL-15-000005

Site Inspection Performed	Yes	No	Mine Management Signature: _____
---------------------------	-----	----	----------------------------------

User's Information

Name: John Rohrer- user# EL15-000005 18870 NW 19th St. Pembroke Pines, FL 33029


Comments:

--

Shot Design

Holes Per Row: 12 Number Of Rows: 6 Arrows for North and POI  Typical Hole

Delay Time Holes in a Row: _____ Delay Time Between Rows: 104 ms



Staggered or Squared (Circle One) Squared Blast # 2017-13