

**VOID**

# NONMANDATORY APPENDIX C MANUFACTURER'S/INSTALLING CONTRACTOR'S REPORT FOR ASME CSD-1

**Certification and Reporting (CG-500) for Controls and Safety Devices**  
(This Form is a guideline and is not part of ASME CSD-1-2006.)

**Unit Manufacturer**

Name \_\_\_\_\_  
Address \_\_\_\_\_ Zip \_\_\_\_\_  
Telephone \_\_\_\_\_ Fax \_\_\_\_\_

**Unit Identification (Boiler)**

Manufacturer's Model # \_\_\_\_\_ Year Built \_\_\_\_\_  
ASME # \_\_\_\_\_ Nat. Bd. # \_\_\_\_\_  
UL # \_\_\_\_\_ CSA # \_\_\_\_\_  
Jurisdiction \_\_\_\_\_

**Steam** \_\_\_\_\_ **Hot Water** \_\_\_\_\_  
Max. W.P. \_\_\_\_\_ psig Max. W.P. \_\_\_\_\_ psig  
Min. Safety Valve Cap. \_\_\_\_\_ PPH Max. Temp. \_\_\_\_\_ °F  
Min. Safety Relief Valve Cap. \_\_\_\_\_ PPH or Btu

**Boiler Unit Description (type)** \_\_\_\_\_  
If Modular (no. of modules) \_\_\_\_\_  
**Boiler Unit Capacity (output)** \_\_\_\_\_

**Burner**

Manufacturer \_\_\_\_\_ Model \_\_\_\_\_  
UL or CSA # \_\_\_\_\_ Serial # \_\_\_\_\_

**Fuels (as shipped)** \_\_\_\_\_

Indicate Units (where not applicable, indicate "N/A")

Gas Manifold Pressure \_\_\_\_\_  
Oil Nozzle/Delivery Pressure (at max. input) \_\_\_\_\_  
High Gas Pressure Switch Setting \_\_\_\_\_  
Low Oil Pressure Switch Setting \_\_\_\_\_

**Installation Location (if known)**

Customer Name \_\_\_\_\_  
Address \_\_\_\_\_  
City \_\_\_\_\_ State \_\_\_\_\_ Zip \_\_\_\_\_  
Telephone \_\_\_\_\_ Fax \_\_\_\_\_

**VOID**

**Certification and Reporting (CG-500) for Controls and Safety Devices (Cont'd)**  
 (This Form is a guideline and is not part of ASME CSD-1-2006.)

Control/Device	Manufacturer	Model #	Operational Test Performed, Date
<b>Operating Controls</b>			
Low-Water Fuel Cutoff CW-120(a), CW-140	_____	_____	_____
Forced Circulation CW-210(a)	_____	_____	_____
Steam Pressure CW-310(b)	_____	_____	_____
Water Temperature CW-410(b)	_____	_____	_____
<b>Safety Controls</b>			
Low-Water Fuel Cutoff CW-120(a), CW-120(b) CW-130, CW-140	_____	_____	_____
Forced Circulation CW-210(b)	_____	_____	_____
High Steam Pressure Limit CW-310(c)	_____	_____	_____
High Water Temperature Limit CW-410(b)	_____	_____	_____
Fuel Safety Shutoff Valve, Main CF-180(b)(2), CF-180(b)(3)	_____	_____	_____
Pilot Safety Shutoff Valve CF-180(c)	_____	_____	_____
Atomizing Medium Switch CF-450(b)	_____	_____	_____
Combustion Air Switch CF-220	_____	_____	_____
High Gas Pressure CF-162	_____	_____	_____
Low Gas Pressure CF-162	_____	_____	_____
Low Oil Pressure CF-450(a)	_____	_____	_____
High Oil Temperature CF-450(c)	_____	_____	_____
Low Oil Temperature CF-450(d)	_____	_____	_____
Purge Air Flow CF-210	_____	_____	_____
Flame Safeguard (Primary) CF-310, CF-320	_____	_____	_____
Flame Detector CF-310, CF-320	_____	_____	_____
<b>Low Fire Start</b>			
Low-Fire Start Switch CF-610	_____	_____	_____
<b>Safety or Safety Relief Valve(s)</b> CW-510, CW-520	_____	_____	_____

**Certification and Reporting (CG-500) for Controls and Safety Devices (Cont'd)**  
(This Form is a guideline and is not part of ASME CSD-1-2006.)

Manufacturer \_\_\_\_\_ Operational Test Performed, Date \_\_\_\_\_ / \_\_\_\_\_ / \_\_\_\_\_

Model \_\_\_\_\_

Size \_\_\_\_\_

Capacity \_\_\_\_\_ PPH/Btu/hr

-----  
Representing Equipment Manufacturer, Name \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

-----  
Representing Installing Contractor, Name \_\_\_\_\_

Signature \_\_\_\_\_ Date \_\_\_\_\_

