

Blast Report

C.O. Number: <u> </u>	Blast Time: <u>1:15 P.M.</u>	Blast Date: <u>3-28-17</u>
Customer Name: <u>WHITE ROCK QUARRY</u>	Address: <u>18300 NW 122nd Ave. Hialeah, FL</u>	
Rock Type: <u>Marine Limestone Rock Specific Gravity 2.3 G/C.C.</u>	Expected Vibration: <u>0.023</u>	
Location of Blast: <u>Section B</u>	Blast GPS Points: <u>N 25° 56' 25.80" W 80° 22' 03.46"</u>	
Weather: <u>MOSTLY CLOUDY</u>	Temp: <u>81 °F</u>	Wind from and Speed: <u>NE 6 MPH</u>

Nearest Non-Owned Structure and Seismograph Location or Other Location

Name: <u>Compliance Machine (WATER TREATMENT)</u>	Distance: <u>5913.6'</u>	Direction: <u>181°</u>
GPS Points: <u>N 25° 55' 27.72" W 80° 22' 04.63"</u>		

No. of Holes			Explosives	
Hole Diameter			Type	Pounds or Units
<u>61</u>				
<u>4.5"</u>				
<u>84'</u>	<u>Bulk</u>			
<u>61</u>	<u>Bulk</u>		<u>RIOMEX A</u>	<u>33,855</u>
<u>NA</u>	<u>Boosters</u>		<u>ORANGE CAP (205116)</u>	<u>122</u>
<u>16'</u>	<u>Boosters</u>			
<u>17'</u>				
<u>18'</u>			Total Pounds	33,977

Name of Detonator and Manufacture: Maxam Daveytronics Other: _____
 Circle Choice: Non-electric Electric Electronic

Delay or Type	Length	No. Used	Date Code
<u>Electronic</u>	<u>30m</u>	<u>39</u>	<u>FE-16</u>
<u>Electronic</u>	<u>30m</u>	<u>22</u>	<u>JA-16</u>
<u>Electronic</u>	<u>15m</u>	<u>63</u>	<u>FE-16</u>

Delay or Type	Length	No. Used	Date Code
<u>BUS WIRE</u>	<u>549'</u>		

Cubic Yards in Shot: 58,072 Avg Pounds/Hole: 557 Holes/Delay: 1
 Max LBS/Delay: 557 Powder Factor: Pounds Per Cubic Yard: .581
 Scaled Distance Factor: 250.57 Type of Blasting Machine: Twist Battery

Blaster Name: John Rohrer Blaster Signature: [Signature]
 Blaster Address: 18870 NW 19th St. Pembroke Pines, FL 33029 Blaster No: EP15-000005
 Site Inspection Performed: Yes Mine Management Signature: [Signature]

User's Information


Name: John Rohrer-user# EL15-000005 18870 NW 19th St. Pembroke Pines, FL 33029

Comments: 2 15m CAPS FELL DOWN A HOLE

LAYERS ON GREEN SEISMOGRAPH (6,441.6'; 64°) RIVIERA ISLES SEISMOGRAPH (6,134.8'; 0°)
5 ROWS OF 12 + 1 ROW OF 1

Shot Design

Holes Per Row: Count Number Of Rows: See Comments Arrows for North and POI
 Delay Time Holes in a Row: 24 ms Delay Time Between Rows: 104 ms



Staggered or Squared (Circle One)

Blast # 2017-11