

| Month  | January     |             |       |              |           |
|--|-------------|-------------|-------|--------------|-----------|
| Year   | 2022        |             |       |              |           |
|  |             |             |       |              |           |
| Date   | Time        | Quarry      | PPV   | Airblast-dBL | Compliant |
| 1/3/2022   | 1:00:00 PM  | Cemex Krome | 0.133 | 108          | yes       |
| 1/5/2022   | 11:46:00 AM | Cemex SCL   | 0.138 | 110          | yes       |
| 1/7/2022   | 10:23:00 AM | Cemex FEC   | 0.143 | 118          | yes       |
| 1/7/2022   | 12:54:00 PM | Cemex Krome | 0.103 | 106          | yes       |
| 1/10/2022  | 11:59:00 AM | Cemex Krome | 0.055 | 108          | yes       |
| 1/12/2022  | 12:02:00 PM | Cemex FEC   | 0.128 | 90           | yes       |
| 1/19/2022  | 10:30:00 AM | Cemex FEC   | 0.123 | 91           | yes       |
| 1/19/2022  | 2:01:00 PM  | Cemex Krome | 0.123 | 109          | yes       |
| 1/20/2022  | 2:17:00 PM  | Cemex FEC   | 0.085 | 113          | yes       |
| 1/24/2022  | 4:46:00 PM  | Cemex FEC   | 0.125 | 90           | yes       |
| 1/25/2022  | 11:46:00 AM | Cemex Krome | 0.125 | 109          | yes       |
| 1/27/2022  | 11:04:00 AM | Cemex Krome | 0.283 | 115          | yes       |
| 1/28/2022  | 9:15:00 AM  | Cemex FEC   | 0.123 | 114          | yes       |
| 1/31/2022  | 11:20:00 AM | Cemex Krome | 0.405 | 118          | yes       |
|  |             |             |       |              |           |
| This data was collected and provided by an external source(s) to the Division of State Fire Marshal. |             |             |       |              |           |